

CATTLE RESPIRATORY AND REPRODUCTIVE VACCINES



Last updated June 12, 2025

K = killed virus; MLV = modified live virus; AL = avirulent live; B = bacterin; BT = bacterin toxoid

| Product Name | Material Number | Vaccine Type | IBR | BVD Type I | BVD Type II | Pi3 (parainfluenza3) | BRSV | <i>Histophilus somni</i> (<i>Haemophilus somnus</i>) | Leptospira spp. | <i>Pasteurella multocida</i> | Campylobacter fetus | Tritrichomonas | <i>L. canicola</i> | <i>L. grippotyphosa</i> | <i>L. icterohaemorrhagiae</i> | <i>L. interrogans</i> serovar: hardjo | <i>L. borgpetersenii</i> serovar: hardjo-bovis | <i>L. pomona</i> | <i>Mannheimia</i> (<i>Pasteurella</i>) <i>haemolytica</i> | <i>Mycoplasma bovis</i> | <i>Salmonella typhimurium</i> | Ingredient(s) | Route of Administration | Respiratory | Reproductive |
|--|--------------------|--------------|-----|------------|-------------|----------------------|------|--|-----------------|------------------------------|---------------------|----------------|--------------------|-------------------------|-------------------------------|---------------------------------------|--|------------------|---|----------------------------|-------------------------------|---------------|-------------------------|-------------|--------------|
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| BIMEDA | | | | | | | | | | | | | | | | | | | | | | | | | |
| Myco-Bac B 100 mL (50-dose), 200 mL (100-dose) | 13599614, 12510662 | B | | | | | | | | | | | | | | | | X | | Reveal ATS Adjuvant System | S.Q. | X | | | |
| Pro-Bac 2 100 mL (50-dose), 200 mL (100-dose) | 21304783, 21304784 | BT | | | | | | | | | | | | | | | X | | Reveal ATS Adjuvant System | S.Q. | X | | | | |
| Pro-Bac 3 100 mL (50-dose), 200 mL (100-dose) | 21303897, 20109996 | BT | | | | | | | X | | | | | | | | X | | Reveal ATS Adjuvant System | S.Q. | X | | | | |
| Pro-Bac 4 100 mL (50-dose), 200 mL (100-dose) | 21306955, 20109998 | BT | | | | | | X | X | | | | | | | | X | | Reveal ATS Adjuvant System | S.Q. | X | | | | |
| Pro-Bac 4 +IBRk & BVDk 100 mL (50-dose), 200 mL (100-dose) | 21307618, 21307384 | K, BT | X | X | | | | X | X | | | | | | | | X | | Reveal ATS Adjuvant System | S.Q. | X | | | | |
| Pro-Bac 5 100 mL (50-dose), 200 mL (100-dose) | 21307383, 20110000 | BT | | | | | | X | X | | | | | | | | X | X | Reveal ATS Adjuvant System | S.Q. | X | | | | |
| Stimulator 2 20 mL (10-dose), 100 mL (50-dose) | 21304691, 21273986 | MLV | X | | X | | | | | | | | | | | | | | | | S.Q. | X | | | |
| Stimulator 2 +BRSV 20 mL (10-dose), 100 mL (50-dose) | 21307057, 21307058 | MLV | X | | X | X | | | | | | | | | | | | | | | S.Q. | X | | | |
| Stimulator 3 20 mL (10-dose), 100 mL (50-dose) | 21304692, 21274446 | MLV | X | X | X | | | | | | | | | | | | | | | | S.Q. | X | | | |
| Stimulator 5 20 mL (10-dose), 100 mL (50-dose) | 21289343, 21273496 | MLV | X | X | X | | X | | | | | | | | | | | | | | S.Q. | X | | | |
| BOEHRINGER INGELHEIM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bar Somnus 2P 20 mL (10-dose), 100 mL (50-dose) | 17502145, 12360437 | B | | | | | | X | X | | | | | | | | X | | neomycin, thimerosal | I.M. | X | | | | |
| Citadel L5 HB 100 mL (50-dose) | 17283255 | B | | | | | | | | | | | | X | X | X | X | X | X | | | S.Q., I.M. | | X | |
| Citadel VL5 HB 20 mL (10-dose), 100 mL (50-dose) | 12653562, 12653563 | B | | | | | | | X | | X | X | X | X | X | X | | | neomycin, thimerosal | S.Q. | | X | | | |
| Express 3 100 mL (50-dose) | 12652147 | MLV | X | X | X | | | | | | | | | | | | | | | | S.Q. | X | | | |
| Express 5 20 mL (10-dose), 100 mL (50-dose) | 11444581, 18795184 | MLV | X | X | X | X | X | | | | | | | | | | | | neomycin, thimerosal | S.Q. | X | | | | |
| Express 5-HS 20 mL (10-dose), 100 mL (50-dose) | 17489851, 15898641 | MLV | X | X | X | X | X | | | | | | | | | | | | neomycin, thimerosal | S.Q. | X | | | | |
| Express FP 3 VL5 HB 20 mL (10-dose), 100 mL (50-dose) | 11154333, 15411444 | MLV | X | X | X | X | X | | | X | | X | X | X | X | X | X | | neomycin, thimerosal | S.Q., I.M. | X | X | | | |

Last updated June 12, 2025

K = killed virus; MLV = modified live virus; AL = avirulent live; B = bacterin; BT = bacterin toxoid

| Product Name | Material Number | Vaccine Type | Pathogens | | | | | | | | | | | | Ingredient(s) | Route of Administration | Respiratory | Reproductive | | | | |
|---|------------------------------|--------------|-----------|------------|-------------|----------------------|------|--|------------------------|------------------------------|---------------------|----------------|--------------------|-------------------------|-------------------------------|---------------------------------------|--|------------------|--|-------------------------|-------------------------------|---|
| | | | IBR | BVD Type I | BVD Type II | P13 (parainfluenza3) | BRSV | <i>Histophilus somni</i> (Haemophilus somni) | <i>Leptospira</i> spp. | <i>Pasteurella multocida</i> | Campylobacter fetus | Tritrichomonas | <i>L. canicola</i> | <i>L. grippotyphosa</i> | <i>L. icterohaemorrhagiae</i> | <i>L. interrogans</i> serovar: hardjo | <i>L. borgpetersenii</i> serovar: hardjo-bovis | <i>L. pomona</i> | <i>Mannheimia</i> (<i>Pasteurella</i>) haemolytica | <i>Mycoplasma bovis</i> | <i>Salmonella typhimurium</i> | |
| BOEHRINGER INGELHEIM (cont.) | | | | | | | | | | | | | | | | | | | | | | |
| Express FP 5 VL5 HB 20 mL (10-dose), 100 mL (50-dose) | 14854125, 16441578 | MLV | X | X | X | X | X | | | | X | | X | X | X | X | X | | neomycin, thimerosal | S.Q., I.M. | X | X |
| Express FP 10 10 mL (5-dose), 20 mL (10-dose), 100 mL (50-dose) | 14781569, 14876523, 15166392 | MLV | X | X | X | X | X | X | | | | X | X | X | X | X | X | | neomycin, thimerosal | S.Q., I.M. | X | X |
| Presponse HM 20 mL (10-dose), 100 mL (50-dose) | 15150225, 18900252 | BT | | | | | | X | | | | | | | | | X | | thimerosal | I.M. | X | |
| Presponse SQ 20 mL (10-dose), 100 mL (50-dose) | 17894614, 17894613 | BT | | | | | | | | | | | | | | | X | | | S.Q. | X | |
| Pyramid 3 100 mL (50-dose) | 11823512 | MLV | X | X | X | | | | | | | | | | | | | | gentamicin, neomycin, polymyxin B, and thimerosal | S.Q., I.M. | X | |
| Pyramid 3 LPH 100 mL (50-dose) | 10133851 | MLV | X | X | X | | | | | | | | | | X | X | | | gentamicin, neomycin, polymyxin B, and thimerosal | S.Q., I.M. | X | |
| Pyramid 3 + Presponse SQ 100 mL (50-dose) | 21249075 | MLV | X | X | X | | | | | | | | | | | | X | | gentamicin, neomycin, polymyxin B, and thimerosal | S.Q. | X | |
| Pyramid 4 100 mL (50-dose) | 17565461 | MLV | X | X | | X | X | | | | | | | | | | | | gentamicin, Metastim®, neomycin, polymyxin B, thimerosal | S.Q., I.M. | X | |
| Pyramid 5 20 mL (10-dose), 100 mL (50-dose) | 16523357, 19852147 | MLV | X | X | X | X | X | | | | | | | | | | | | gentamicin, Metastim®, neomycin, polymyxin B, thimerosal | S.Q., I.M. | X | |
| Pyramid 5 + Presponse SQ 20 mL (10-dose), 100 mL (50-dose) | 15986326, 16894162 | MLV | X | X | X | X | X | | | | | | | | | | X | | neomycin, polymyxin B, thimerosal | S.Q. | X | |
| Pyramid 10 HB 20 mL (10-dose), 100 mL (50-dose) | 12361264, 17441956 | MLV | X | X | X | X | X | | | | | X | X | X | X | X | X | | gentamicin, Metastim®, neomycin, polymyxin B, thimerosal | S.Q., I.M. | X | X |
| Pyramid IBR 100 mL (50-dose) | 12300245 | MLV | X | | | | | | | | | | | | | | | | gentamicin, neomycin, polymyxin B, and thimerosal | S.Q., I.M. | X | |
| Triangle 4 + PH-K 50 mL (10-dose), 250 mL (50-dose) | 11458946, 11025332 | K | X | X | | X | X | | | | | | | | | | X | | Enhance dual adjuvant system, gentamicin, Immune-Guard®, neomycin, polymyxin B, thimerosal | S.Q. | X | |
| Triangle 5 20 mL (10-dose), 100 mL (50-dose) | 14517425, 11859263 | K | X | X | X | X | X | | | | | | | | | | | | Enhance dual adjuvant system, gentamicin, neomycin, polymyxin B, thimerosal | S.Q., I.M. | X | |
| Triangle 10 HB 50 mL (10-dose), 250 mL (50-dose) | 11228554, 14512332 | K | X | X | X | X | X | | | | X | X | X | X | X | X | | | Enhance dual adjuvant system, gentamicin, neomycin, polymyxin B, thimerosal | S.Q., I.M. | X | X |
| TrichGuard 20 mL (10-dose), 100 mL (50-dose) | 16932648, 18795127 | K | | | | | | | | | X | | | | | | | | neomycin, polymyxin B, thimerosal | S.Q. | | X |
| Trich Vibrio Inj. 50 mL (10-dose), 250 mL (50-dose) | 21312045, 21315870 | K | | | | | | | | X | X | | | | | | | | | S.Q. | | X |
| COLORADO SERUM | | | | | | | | | | | | | | | | | | | | | | |
| Mannheimia Haemolytica Pasteurella Multocida Bacterin 20 mL (10-dose), 100 mL (50-dose) | 11365614, 16544454 | B | | | | | | | | X | | | | | | | X | | aluminum hydroxide, thimerosal | S.Q. | X | |

Last updated June 12, 2025

K = killed virus; MLV = modified live virus; AL = avirulent live; B = bacterin; BT = bacterin toxoid

| Product Name | Material Number | Vaccine Type | IBR | BVD Type I | BVD Type II | Pi3 (parainfluenza3) | RSV | Histophilus somni (Hemophilus somnus) | Leptospira spp. | Pasteurella multocida | Campylobacter fetus | Tritrichomonas | L. canicola | L. grippotyphosa | L. icterohaemorrhagiae | L. interrogans serovar: hardjo | L. borgpetersenii serovar: hardjo-bovis | Mannheimia (Pasteurella) haemolytica | Mycoplasma bovis | Salmonella typhimurium | Route of Administration | Respiratory | Reproductive | |
|--|--------------------|--------------|-----|------------|-------------|----------------------|-----|---------------------------------------|-----------------|-----------------------|---------------------|----------------|-------------|------------------|------------------------|--------------------------------|---|--------------------------------------|---|---|-------------------------|-------------|--------------|--|
| | | | | | | | | | | | | | | | | | | | | | | | | |
| ELANCO | | | | | | | | | | | | | | | | | | | | | | | | |
| Lepto Shield 5 20 mL (10-dose), 100 mL (50-dose) | 17103456, 13005445 | B | | | | | | | | | | X | X | X | X | | X | | | thimerosal | I.M. | | X | |
| Master Guard 10 HB 30 mL (10-dose), 75 mL (25-dose) | 11100597, 13001645 | MLV/K | X | X | X | X | X | | | | | X | X | X | X | X | X | | | gentamicin | I.M. & S.Q. | X | X | |
| Nuplura PH 20 mL (10-dose), 100 mL (50-dose) | 18053063, 19053064 | BT | | | | | | | | | | | | | | | | X | | Emulsigen® D, gentamicin, thimerosal | S.Q. | X | | |
| Nuplura PH + 3 20 mL (10-dose), 100 mL (50-dose) | 21304042, 21304043 | MLV | X | X | X | | | | | | | | | | | | | X | | Emulsigen® D, gentamicin, thimerosal | S.Q. | X | | |
| Nuplura PH + BVD 20 mL (10-dose), 100 mL (50-dose) | 21304040, 21304041 | MLV | | X | X | | | | | | | | | | | | | X | | Emulsigen® D, gentamicin, thimerosal | S.Q. | X | | |
| ReproSTAR L5 HB 20 mL (10-dose), 100 mL (50-dose) | 12011567, 16501487 | B | | | | | | | | | | X | X | X | | X | X | | | thimerosal, Xtend™ SP | S.Q. | | X | |
| ReproSTAR VL5 HB 20 mL (10-dose), 100 mL (50-dose) | 14171832, 18213489 | B | | | | | | | | X | | X | X | X | | X | X | | | thimerosal, Xtend™ SP | I.M. | | X | |
| Somnu Shield 100 mL (50-dose) | 13258972 | B | | | | | | X | | | | | | | | | | | | aluminum hydroxide | S.Q. & I.M. | | X | |
| Titanium 3 20 mL (10-dose), 100 mL (50-dose) | 14122110, 18599632 | MLV | X | X | | | X | | | | | | | | | | | | | | S.Q. & I.M. | X | | |
| Titanium 3 LP 100 mL (50-dose) | 16432151 | MLV | X | X | | | X | | | | | | | | | | X | | | thimerosal | S.Q. & I.M. | X | X | |
| Titanium 5 20 mL (10-dose), 100 mL (50-dose) | 17748491, 18975884 | MLV | X | X | X | X | X | | | | | | | | | | | | desiccated Bovine Rhinotracheitis-Virus Diarrhea-Parainfluenza3-Respiratory Syncytial Virus Vaccine and sterile diluent to use as a diluent | S.Q. | X | | | |
| Titanium 5 L5 HB 20 mL (10-dose), 100 mL (50-dose) | 18513306, 12516355 | MLV | X | X | X | X | X | | | | | X | X | X | X | | X | | | thimerosal | S.Q. | X | X | |
| Titanium IBR-LP 100 mL (50-dose) | 15454858 | MLV | X | | | | | | | | | | | | | | | X | | | | S.Q., I.M. | X | |
| Vib Shield Plus L5 20 mL (10-dose), 100 mL (50-dose) | 13603621, 16312057 | B | | | | | | | | X | | X | X | X | X | | X | | | thimerosal, Xtend™ SP | I.M. | | X | |
| Vira Shield 4 + VL5 250 mL (50-dose) | 12514522 | K | X | X | X | | | | | X | | X | X | X | X | | X | | | amphotericin B, gentamicin, thimerosal, Xtend™ SP | S.Q. | X | X | |
| Vira Shield 6 50 mL (10-dose), 250 mL (50-dose) | 11000123, 18514287 | K | X | X | X | X | X | | | | | | | | | | | | | amphotericin B, gentamicin, thimerosal, Xtend™ SP | S.Q. | X | | |
| Vira Shield 6 + L5 50 mL (10-dose), 250 mL (50-dose) | 14100587, 13001497 | K | X | X | X | X | X | | | | | X | X | X | X | | X | | | amphotericin B, gentamicin, thimerosal, Xtend™ SP | S.Q. | X | X | |
| Vira Shield 6 + L5 HB 50 mL (10-dose), 250 mL (50-dose) | 14301269, 18230926 | K | X | X | X | X | X | | | | | X | X | X | | X | X | | | amphotericin B, gentamicin, thimerosal, Xtend™ SP | S.Q. | X | X | |
| Vira Shield 6 + L5 HB Somnus 250 mL (50-dose) | 19300642 | K | X | X | X | X | X | X | | | | X | X | X | | X | X | | | amphotericin B, gentamicin, thimerosal, Xtend™ SP | I.M. | X | X | |
| Vira Shield 6 + Somnus 50 mL (10-dose), 250 mL (50-dose) | 13557294, 14555511 | K | X | X | X | X | X | X | | | | | | | | | | | | amphotericin B, gentamicin, thimerosal, Xtend™ SP | I.M. | X | | |

Last updated June 12, 2025

K = killed virus; MLV = modified live virus; AL = avirulent live; B = bacterin; BT = bacterin toxoid

| Product Name | Material Number | Vaccine Type | IBR | BVD Type I | BVD Type II | Pi3 (parainfluenza3) | BRSV | Histophilus somni (Haemophilus somnus) | Leptospira spp. | Posteurella multocida | Campylobacter fetus | Tritrichomonas | L. canicola | L. grippotyphosa | L. icterohaemorrhagiae | L. interrogans serovar: hardjo | L. borgpetersenii serovar: hardjo-bovis | L. pomona | Mannheimia (Pasteurella) haemolytica | Mycoplasma bovis | Salmonella typhimurium | Ingredient(s) | Route of Administration | Respiratory | Reproductive |
|---|------------------------------|--------------|-----|------------|-------------|----------------------|------|--|-----------------|-----------------------|---------------------|----------------|-------------|------------------|------------------------|--------------------------------|---|-----------|--------------------------------------|---|---|-------------------|-------------------------|-------------|--------------|
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| ELANCO (cont.) | | | | | | | | | | | | | | | | | | | | | | | | | |
| Vira Shield 6 + VL 5 50 mL (10-dose), 250 mL (50-dose) | 18301457, 14612589 | K | X | X | X | X | X | | | | X | | X | X | X | X | X | X | | | amphotericin B, gentamicin, thimerosal, Xtend™ SP | S.Q. | X | X | |
| Vira Shield 6 + VL5 HB 50 mL (10-dose), 250 mL (50-dose) | 18849869, 16691659 | K | X | X | X | X | X | | | | X | | X | X | X | | X | X | | | amphotericin B, gentamicin, thimerosal, Xtend™ SP | S.Q. | X | X | |
| Vira Shield 6 + VL5 HB Somnis 50 mL (10-dose), 250 mL (50-dose) | 17789633, 12229362 | K | X | X | X | X | X | X | | | X | | | | | | | | | | amphotericin B, gentamicin, thimerosal, Xtend™ SP | I.M. | X | X | |
| Vira Shield 6 + VL5 Somnis 50 mL (10-dose), 250 mL (50-dose) | 16940074, 19527526 | K | X | X | X | X | X | X | | | X | | X | X | X | X | X | | | amphotericin B, gentamicin, thimerosal, Xtend™ SP | I.M. | X | X | | |
| Zelnate DNA Immunostimulant 10-dose, 50-dose | 21270480, 21270481 | | | | | | | | | | | | | | | | | | | | liposome carrier, sterile diluent | I.M. & Intranasal | X | | |
| ENDOVAC | | | | | | | | | | | | | | | | | | | | | | | | | |
| Endovac Beef 40 mL (20-dose), 100 mL (50-dose), 200 mL (100-dose) | 21246042, 21245681, 21246041 | B | | | | | | | | X | | | | | | | | X | X | | | | I.M. | X | X |
| Endovac Dairy 40 mL (20-dose), 100 mL (50-dose), 200 mL (100-dose) | 15145024, 14283124, 18927687 | B | | | | | | | | X | | | | | | | | X | X | | | | I.M. | X | X |
| MERCK | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bovilis L5 SQ 100 mL (50-dose) | 12765218 | B | | | | | | | | | | | X | X | X | X | X | X | | | | | S.Q. | | X |
| Bovilis Nasalgen 3 20 mL (10-dose), 25x1-dose, 100 mL (50-dose) | 21298429, 21298451, 21298450 | MLV | X | | | X | X | | | | | | | | | | | | | | penicillin, streptomycin | Intranasal | X | | |
| Bovilis Nasalgen 3-PMH 25x1-dose, 20 mL (10-dose), 100 mL (50-dose) | 21303121, 21303123, 21303124 | MLV/AL | X | | | X | X | | | X | | | | | | | | X | | | penicillin, streptomycin | Intranasal | X | | |
| Bovilis Nasalgen IP 20 mL (10-dose), 100 mL (50-dose) | 21278808, 17872641 | MLV | X | | | X | | | | | | | | | | | | | | | gentamicin | Intranasal | X | | |
| Bovilis Once PMH IN 20 mL (10-dose), 100 mL (50-dose), Tray (25x1-dose) | 21260027, 21260028, 21271080 | AL | | | | | | | | X | | | | | | | | X | | | streptomycin | Intranasal | X | | |
| Bovilis Once PMH SQ 20 mL (10-dose), 100 mL (50-dose) | 18713642, 16009555 | AL | | | | | | | | X | | | | | | | | X | | | streptomycin | S.Q. | X | | |
| Bovilis Vista Once SQ 20 mL (10-dose), 100 mL (50-dose) | 11230594, 11475623 | MLV/AL | X | X | X | X | X | | | X | | | | | | | | X | | | penicillin, streptomycin | S.Q. | X | | |
| Bovilis Vista CFP 20 mL (10-dose), 100 mL (50-dose) | 21298934, 21298933 | MLV | | X | X | | | | | | | | | | | | | | | | penicillin, streptomycin | S.Q. | X | | |
| Bovilis Vista 5 SQ 20 mL (10-dose), 100 mL (50-dose) | 12122334, 15634989 | MLV | X | X | X | X | X | | | | | | | | | | | | | | penicillin, streptomycin | S.Q. | X | | |
| Bovilis Vista 5 L5 SQ 100 mL (50-dose) | 14713444 | MLV/B | X | X | X | X | X | | | | | | X | X | X | X | X | | | | penicillin, streptomycin | S.Q. | X | X | |
| Bovilis Vista 5 VL5 20 mL (10-dose), 100 mL (50-dose) | 12946522, 13781342 | MLV | X | X | X | X | X | | | X | | | X | X | X | X | X | | | | penicillin, streptomycin | S.Q. | X | X | |
| Bovilis VL5 SQ 100 mL (50-dose) | 19987323 | B | | | | | | | | X | | | X | X | X | X | X | X | | | thimerosal | S.Q. | X | X | |

Last updated June 12, 2025

K = killed virus; MLV = modified live virus; AL = avirulent live; B = bacterin; BT = bacterin toxoid

CATTLE RESPIRATORY AND REPRODUCTIVE VACCINES (CONT.)



Last updated June 12, 2025

K = killed virus; MLV = modified live virus; AL = avirulent live; B = bacterin; BT = bacterin toxoid

| Product Name | Material Number | Vaccine Type | IBR | BVD Type I | BVD Type II | Pi3 (parainfluenza3) | BRSV | <i>Histophilus somni</i> (<i>Hemophilus somnis</i>) | <i>Leptospira</i> spp. | <i>Posteurella multocida</i> | <i>Campylobacter fetus</i> | <i>Tritrichomonas</i> | <i>L. canicola</i> | <i>L. grippotyphiosa</i> | <i>L. icterohaemorrhagiae</i> | <i>L. interrogans</i> serovar: hardjo | <i>L. borgpetersenii</i> serovar: hardjo-bovis | <i>L. pomona</i> | <i>Mannheimia</i> (<i>Posteurella</i>) <i>haemolytica</i> | <i>Mycoplasma bovis</i> | <i>Salmonella typhimurium</i> | Ingredient(s) | Route of Administration | Respiratory | Reproductive | |
|---|--|--------------|-----|------------|-------------|----------------------|------|---|------------------------|------------------------------|----------------------------|-----------------------|--------------------|--------------------------|-------------------------------|---------------------------------------|--|------------------|---|-------------------------|-------------------------------|--------------------|---|-------------|--------------|---|
| | | | X | X | X | | | | | | | | | | | | | | | | | | | | | |
| ZOETIS (cont.) | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inforce 3.20 mL (10-dose), 25x1-dose, 50 mL (25-dose), 100 mL (50-dose) | 12324581, 11552248, 19373732, 14511502 | MLV | X | | | X | X | | | | | | | | | | | | | | | | gentamicin | Intranasal | X | |
| Leptoferm 5 20 mL (10-dose), 100 mL (50-dose) | 17572414, 18969765 | B | | | | | | | | | | | X | X | X | X | X | | | | | | contains chemically inactivated whole cultures of the 5 <i>Leptospira</i> serovars listed | I.M. | | X |
| One Shot 10 mL (5-dose), 20 mL (10-dose), 100 mL (50-dose) | 12154602, 14568303, 12163822 | BT | | | | | | | | | | | | | | | | X | | | | | not named | I.M. & S.Q. | X | |
| One Shot BVD 20 mL (10-dose), 100 mL (50-dose) | 21261316, 21261317 | MLV | | X | X | | | | | | | | | | | | | X | | | | | gentamicin | S.Q. | X | |
| PregGuard Gold FP 10 20 mL (10-dose), 100 mL (50-dose) | 12254693, 14548871 | MLV | X | X | X | X | | | | X | | X | X | X | X | X | X | | | | | gentamicin | I.M. | X | X | |
| Protivity 20 mL (10-dose), 100 mL (50-dose) | 21309706, 21309707 | MLV | | | | | | | | | | | | | | | | X | | | | | | S.Q. | X | |
| Spirovac 20 mL (10-dose), 100 mL (50-dose) | 18934488, 18399448 | B | | | | | | | | | | | | | | | X | | | | | | | S.Q. | | X |
| Spirovac L5 20 mL (10-dose), 100 mL (50-dose) | 11857154, 19887215 | B | | | | | | | | | | | X | X | X | X | X | X | | | | | not named | I.M. & S.Q. | | X |
| Spirovac VL5 20 mL (10-dose), 100 mL (50-dose) | 15968921, 13625698 | B | | | | | | | | X | | X | X | X | X | X | X | | | | | not named | I.M. & S.Q. | X | X | |
| Somubac 20 mL (10-dose), 100 mL (50-dose) | 11123698, 17741451 | B | | | | | | X | | | | | | | | | | | | | | aluminum hydroxide | S.Q. | X | | |
| StayBred VL5 100 mL (50-dose) | 11746721 | B | | | | | | | | X | | X | X | X | X | X | X | | | | | oil adjuvant | I.M. | X | X | |
| Vibrin 100 mL (50-dose) | 12155196 | B | | | | | | | | X | | | | | | | | | | | | not named | S.Q. | | X | |