

CATTLE WORMERS

Last updated June 10, 2025

Product Name	Material Number	Dosing	Lungworms	Stomach Worms	Intestinal Worms	Bankrupt Worms	Nodular Worms	Tapeworms	Roundworms	Kidney Worms, Eyeworms	Liver Flukes	Sucking Lice	Biting Lice	Mange Mites	Horn Flies	Grubs	Active Ingredient(s)	Slaughter Withdrawal	Route of Administration	Hazardous Material
ASPEN																				
Ivermax Injectable 50 mL, 250 mL, 500 mL, 1000 mL	12378158, 12463733, 18262184, 10818680	1 mL = 10 mg ivermectin, sufficient to treat 110 lb (50 kg) b.w.	X						X			X		X		X	ivermectin	35 days	S.Q.	
Ivermax Plus Injection 500 mL, 1000 mL	11765142, 16371421	1 mL per 110 lb (50 kg) body weight	X						X		X	X		X		X	ivermectin, clorsulon	21 days	S.Q.	
Ivermax Pour-On 250 mL, 1 L	15703301, 15893311	1 mL/22 lb b.w. or 10 mL/220 lb b.w.	X						X			X	X	X	X	X	ivermectin	48 days	Topical	
Ivermax Pour-On 2.5 L, 5 L, 20 L	14563321, 16998644, 17998644	1 mL/22 lb b.w. or 10 mL/220 lb b.w.	X						X			X	X	X	X	X	ivermectin	48 days	Topical	X
AURORA PHARMACEUTICAL																				
DectoGard 2.5 L (4/pkg), 5 L (2/pkg)	21311926, 21311927	1 mL/22 lb (10 kg) b.w. or 10 mL/220 lb b.w.	X		X					X		X	X	X	X	X	doramectin	45 days	Topical	X
EpriGard Pour-On 2.5 L, 5 L, 10 L	21314694, 21311927, 21315603	1 mL/10 kg (22 lb) b.w.	X		X							X	X	X	X	X	eprinomectin	0 days	Topical	
BIMEDA																				
Bimectin Ivermectin Pour-On 5 L	20114094	1 mL for each 22 lb of body weight	X						X			X	X	X	X	X	ivermectin	48 days	Topical	X
LevaMed Soluble Drench Powder 1.8 oz - 52 g	21268093	Standard drench solution: Mix 1 packet/qt (32 oz) water. Give once at a dose of 8 mg/kg b.w., (ex. 200 lb - give 1/2 oz). Concentrated drench solution (for use with automatic syringe): 1 packet added to 8-3/4 oz water. Give 2 mL/100 lb b.w. Bottle (14.21 oz): Add water to powder in bottle up to fill line. Give as a single drench at 8 mg/kg b.w. or 2 mL/100 lb b.w. Bottle (21.34 oz): Add water to powder in bottle up to 3 L line. Give as a single drench at 8 mg/kg b.w. or 2 mL/100 lb b.w.	X	X	X												levamisole	48 hours	Oral	
BOEHRINGER INGELHEIM																				
Eprinex Pour-On 250 mL, 1 L, 2.5 L, 5 L, 10 L, 20 L	17548154, 16450547, 11027414, 13004145, 21299662, 12715484	The product is formulated only for external application to beef and dairy cattle. The dose rate is 1 mL/10 kg (22 lb) of body weight. The product should be applied topically along the backline in a narrow strip extending from the withers to the tailhead.	X	X					X			X	X	X	X	X	eprinomectin	0 days	Topical	
Ivomec Plus Injectable 500 mL, 1000 mL	21308528, 21308529	1 mL/110 lb (50 kg) b.w. (200 mcg/kg ivermectin + 2 mg clorsulon/kg) given behind the shoulder	X	X					X		X	X		X		X	ivermectin, clorsulon	21 days	S.Q.	
Ivomec Pour-On 250 mL, 1 L	18545633, 18545632	1 mL/22 lb b.w. or 10 mL/220 lb b.w.	X						X			X	X	X	X	X	ivermectin	48 days	Topical	
Ivomec Pour-On 2.5 L, 2.5 L (4/pkg), 5 L, 20 L	16265456, 21263877, 11238526, 12238427	1 mL/22 lb b.w. or 10 mL/220 lb b.w.	X						X			X	X	X	X	X	ivermectin	48 days	Topical	X
LongRange Cattle Dewormer (Rx) 100 mL, 250 mL, 500 mL	21284767, 21250568, 21250569	1 mL/110 lb (1 mg/kg) b.w. Give in loose skin in front of shoulder. Divide doses >10 mL between 2 injection sites.	X						X					X		X	eprinomectin	48 days	S.Q.	
Synanthic Dewormer 22.5% 500 mL, 1000 mL	11459873, 11459875	2.05 mg/lb (4.5 mg/kg) or 1 mL suspension/110 lb (50 kg) b.w.	X	X	X			X	X								oxfendazole	7 days	Oral	
ELANCO																				
Cydetin Injection 500 mL	21271477	1 mL/110 lb (50 kg) b.w. to provide 0.2 mg moxidectin/2.2 lb (0.2 mg/kg) b.w.	X	X	X	X	X		X			X	X	X		X	moxidectin	21 days	S.Q.	
Cydetin Pour-On 500 mL, 1000 mL, 2.5 L, 5 L, 10 L	11315541, 15269265, 15842551, 18856951, 17545881	1 mL/22 lb (10 kg) b.w. which provides 0.5 mg moxidectin/2.2 lb (0.5 mg/kg) b.w.	X	X	X	X	X		X			X	X	X	X	X	moxidectin	0 days	Topical	
HUVEPHARMA																				
Agri-Mectin Injection for Cattle & Swine 50 mL, 200 mL, 500 mL	21241911, 20105709, 21241913	1 mL per 110 lb	X	X					X			X		X		X	ivermectin	35 days	S.Q.	
Prohibit Soluble Drench Powder 52 g	18310546	Give 2 mL/100 lb b.w.	X	X	X				X								levamisole hydrochloride	48 hours	Oral	

Product Name	Material Number	Dosing	Lungworms	Stomach Worms	Intestinal Worms	Bankrupt Worms	Nodular Worms	Tapeworms	Roundworms	Kidney Worms, Eyeworms	Liver Flukes	Sucking Lice	Biting Lice	Mange Mites	Horn Flies	Grubs	Active Ingredient(s)	Slaughter Withdrawal	Route of Administration	Hazardous Material	
MERCK																					
Panacur Suspension (Rx) Gallon	18242786	Beef and Dairy Cattle - 2.3 mg/lb (5 mg/kg): for the treatment and control of: Lungworms: Adult <i>Dictyocaulus viviparus</i> ; Stomach worms: Adult brown stomach worms (<i>Ostertagia ostertagi</i>), Adult and fourth stage larvae barberpole worms (<i>Haemonchus contortus</i> & <i>H. placei</i>), and Adult and fourth stage larvae small stomach worms (<i>Trichostrongylus axei</i>); Intestinal worms (Adult and fourth stage larvae): hookworms (<i>Bunostomum phlebotomum</i>), thread-necked intestinal worms (<i>Nematodirus helvetianus</i>), small intestinal worms (<i>Cooperia punctata</i> & <i>C. oncophora</i>), bankrupt worms (<i>Trichostrongylus colubriformis</i>), and nodular worms (<i>Oesophagostomum radiatum</i>). Beef Cattle Only - 4.6 mg/lb (10 mg/kg): for the treatment and control of: Stomach worms (fourth stage inhibited larvae): <i>Ostertagia ostertagi</i> (Type II Ostertagiasis); Tapeworms: <i>Moniezia benedeni</i> . Do not use in dairy cattle at 10 mg/kg.	X	X	X	X	X	X										fenbendazole	8 days	Oral	
Safe-Guard Paste 10% 290 g	18420032	5 g/220 lb b.w.	X	X	X	X	X										fenbendazole	8 days	Oral		
Safe-Guard Suspension 10% Gallon, Liter, 10 L	15625330, 16353789, 21272610	2.3 mg/lb (5 mg/kg) b.w. or 11.5 g fenbendazole/500 lb (227 kg) b.w.	X	X	X	X	X										fenbendazole	8 days	Oral		
NORBROOK																					
Eprizero Pour-On 2.5 L, 5 L, 20 L	21287381, 21287382, 21287383	1 mL/10 kg (22 lb) b.w. along the backline in a narrow strip extending from withers to tailhead.	X						X			X	X	X	X	X	eprinomectin	0 days	Topical		
Noromectin 1% Injectable 50 mL, 500 mL, 1000 mL	14895327, 19549547, 10768180	1 mL = 10 mg ivermectin, sufficient to treat 110 lb (50 kg) b.w.	X						X			X		X		X	ivermectin	35 days	S.Q.		
Noromectin Plus Injectable 50 mL, 250 mL, 500 mL, 1000 mL	14689157, 17613524, 15465468, 10768141	1 mL/110 lb (50 kg) b.w. (10 mg ivermectin + 100 mg clorsulon).	X						X		X	X		X		X	ivermectin, clorsulon	21 days	S.Q.		
VEDCO																					
ProMectin B Pour-On 5 L	21271837	1 mL/22 lb b.w. or 10 mL/220 lb b.w.	X	X	X	X	X		X			X	X	X	X	X	ivermectin	48 days	Topical	X	
ZOETIS																					
Dectomax Pour-On 1 L	11533692	1 mL/22 lb (10 kg) of body weight	X	X	X	X	X		X	X		X	X	X	X	X	doramectin	45 days	Topical		
Dectomax Pour-On 2.5 L, 5 L	17559514, 16625184	1 mL/22 lb (10 kg) of body weight	X	X	X	X	X		X	X		X	X	X	X	X	doramectin	45 days	Topical	X	
Dectomax Injectable 1% 100 mL, 250 mL, 500 mL	21315167, 21315930, 18954565	1 mL/110 lb (50 kg) of body weight	X	X	X	X	X		X	X		X		X		X	doramectin	37 days	Injectable		
Valbazen Suspension 500 mL, 1 L, 5 L	15639632, 15632897, 15646645	4 mL/100 lb (4.54 mg albendazole/lb, 10 mg/kg) b.w.	X	X	X	X	X	X	X		X						albendazole	27 days	Oral		
Valcor Injection (Rx) 100 mL, 250 mL, 500 mL	21313324, 21313325, 21313326	Each mL of VALCOR® contains 5 mg doramectin and 150 mg of levamisole hydrochloride which is sufficient to treat 55 lb (25 kg) of body weight. Do not inject more than 10 mL per injection site.	X		X					X		X		X		X	doramectin/levamisole	15 days	S.Q.		